Restore Starclass Homepage

Test im XAMPP Server

Vorbereitung XAMP installiert

Php.ini überarbeitet

C:\xampp\php\php.ini

Bearbeiten Sie Ihre php.ini-Datei und ändern die folgenden Zeilen:

- 1. error reporting=E ERROR
- 2. display_errors=0

Datenbank anlegen

Da die default collation falsch ist, zuerst Datenbank anlegen und dann erst den User.

It's generally recommended to use "utf8_general_ci".

$$ \rightarrow C $$	(i) localhost/phpmyadmin/server_databases.php?db=						
phpMyAdmin	← 🛱 Server: 127.0.0.1						
Â ≦ 0 0` ⇔ ¢	🗊 Databases 📃 SQL 🚯 Status 📧 User accounts 🚍 Export						
Recent Favorites	Your browser has phpMyAdmin configuration for this domain. Would you like to import Yes / No / Delete settings						
New cdcol fexquickstart information_schema ioomla3	Databases						
joomla38 joomla38 joomla38 joomla38 joomla38 joomla38 joomla38 joomla38	Create database Image: Create database starclass052018 utf8_general_ci Create						

User anlegen

Auf der Datenbank einen neuen user "starclass0518" anlegen

http://localhost/phpmyadmin/

(←) → ♂ ŵ	()	localhost/php	omyadmin/se	erver_privile	ges.php?db=&viewing_	mode=	server
phpMuAdmin	← [Server: 127.0	0.0.1				
<u></u>		Databases	SQL	📠 Status	User accounts)= 1	Export 📑 Import 🥜 Settin
Recent Favorites	You Yes	r browser has / <u>No</u> / <u>Delete</u> :	phpMyAdmin settings	configuration	n for this domain. Would	you like	to import it for current session?
New cdcol flexquickstart information_schema ioomla3	U	ser acc	ounts c	overvie	9W		
joomla38		A user accour	nt allowing an	y user from I	ocalhost to connect is p	resent.]	This will prevent other users from con
performance_schema		User name	Host name	Password	Global privileges 🥹	Grant	Action
phpmyadmin starsloss		Any	%	No	USAGE	No	🐉 Edit privileges 🔜 Export
starclass La starclass052018		Any	linux	No	USAGE	No	🐉 Edit privileges 🚊 Export
starclass3		Any	localhost	No	USAGE	No	🐉 Edit privileges 🔜 Export
starclass38		joomla3	localhost	Yes	USAGE	No	🐉 Edit privileges 🔜 Export
starclassflex		joomla38	localhost	Yes	USAGE	No	🐉 Edit privileges 🛄 Export
test		pma	localhost	No	USAGE	No	🗞 Edit privileges 🔜 Export
		root	linux	No	ALL PRIVILEGES	Yes	🐉 Edit privileges 🔜 Export
		root	localhost	No	ALL PRIVILEGES	Yes	🐉 Edit privileges 🚊 Export
		starclass	localhost	Yes	USAGE	No	🐉 Edit privileges 🔜 Export
		starclass1117	localhost	Yes	USAGE	No	🐉 Edit privileges 🚊 Export
		starclass3	localhost	Yes	USAGE	No	🐉 Edit privileges 🔜 Export
		starclass38	localhost	Yes	USAGE	No	🐉 Edit privileges 🔜 Export
		starclassflex	localhost	Yes	USAGE	No	🐉 Edit privileges 🔜 Export
	t.	_ Check	all <i>With</i> sele	ected: 🗾 I	Export New	er accol	unt

dd user acc	ount						
Login Information							
User name	Use text field:	4	starclass052018				
Host name	Use text field:	2	localhost				
Password	Use text field:	2	•••••	Strength:	Extremel	γ weak	
Re-type:							
Authentication Plugin			Native MySQL authentica	tion 🕑			
A THE COMPANY		0.12425				- 004 - 44	

→ GO

CREATE <u>USER</u> 'starclass052018'@'localhost' IDENTIFIED WITH mysql_native_password;GRANT USAGE ON *.* TO 'starclass052018'@'localhost' REQUIRE NONE WITH MAX_QUERIES_PER_HOUR 0 MAX_CONNECTIONS_PER_HOUR 0 MAX_UPDATES_PER_HOUR 0 MAX_USER_CONNECTIONS 0;SET PASSWORD FOR 'starclass052018'@'localhost' = '***';

C	Create database .			
1	Jatabase name	Collation	~	(
[Filters			
Co	ontaining the word:]	
	Database 🔺	Collation	Action	
	cdcol	latinl_general_ci	Check privileges	
	flexquickstart	utf8_general_ci	Check privileges	
	flexquickstart information_schema	utf8_general_ci utf8_general_ci	 Check privileges Check privileges 	
	flexquickstart information_schema joomla3	utf8_general_ci utf8_general_ci latin1_swedish_ci	 a Check privileges a Check privileges a Check privileges 	
	flexquickstart information_schema joomla3 joomla38	utf8_general_ci utf8_general_ci latin1_swedish_ci utf8_general_ci	Check privileges Check privileges Check privileges Check privileges Check privileges	
	flexquickstart information_schema joomla3 joomla38 mysql	<pre>utf8_general_ci utf8_general_ci latin1_swedish_ci utf8_general_ci latin1_swedish_ci</pre>	 Check privileges Check privileges Check privileges Check privileges Check privileges 	
	flexquickstart information_schema joomla3 joomla38 mysql performance_schema	<pre>utf8_general_ci utf8_general_ci latin1_swedish_ci utf8_general_ci latin1_swedish_ci utf8_general_ci</pre>	 Check privileges Check privileges Check privileges Check privileges Check privileges Check privileges 	
	flexquickstart information_schema joomla3 joomla38 mysql performance_schema phpmyadmin	utf8_general_ci utf8_general_ci latin1_swedish_ci utf8_general_ci latin1_swedish_ci utf8_general_ci utf8_general_ci	 Check privileges 	

	User name	Host name	Туре	Privilege	S	Grant	Action	
	root	linux	global	ALL PRIV	ILEGES	Yes	🔊 Edit	privileges
	root	localhost	global	ALL PRIV	ILEGES	Yes	🐉 Edit	privileges
	_							
Nev	N							

User Berechtigungen

User accounts \rightarrow User auswählen \rightarrow Edit privileges

	Server: 127.0.0	1				
0	Databases	SQL 🕼	Status (User accounts	Exp	port 🔜 Import 🥜 Sett
/ou /es	r browser has php / <u>No</u> / <u>Delete set</u>	oMyAdmin co tings	nfiguration fo	or this domain. Would yo	u like to) import it for current session?
1	ser accol	ints ov	erviev	V		
			CIVICI			
A	A user account a	llowing any u	sor from loc	albost to connect is pres	ont Thi	e will provent other users from c
ost	A user account a t part of their acco	ount allows a	connection	ainost to connect is pres from any (%) host. 🔞	ent. Thi	s will prevent other users from c
	User name	Host name	Password	Global privileges 😡	Grant	Action
	Any	%	No	USAGE	No	🐉 Edit privileges 🔜 Export
	Any	linux	No	USAGE	No	🐉 Edit privileges 🔜 Export
	Any	localhost	No	USAGE	No	🐉 Edit privileges 🔜 Export
	joomla3	localhost	Yes	USAGE	No	Se Edit privileges 📖 Export
						da 1 2 mi
	joomla38	localhost	Yes	USAGE	No	Edit privileges Export
	joomla38 pma	localhost localhost	Yes No	USAGE USAGE	No No	 Edit privileges Export Edit privileges Export
	joomla38 pma root	localhost localhost linux	Yes No No	USAGE USAGE ALL PRIVILEGES	No No Yes	 Edit privileges Export Edit privileges Export Edit privileges Export
	joomla38 pma root root	localhost localhost linux localhost	Yes No No	USAGE USAGE ALL PRIVILEGES ALL PRIVILEGES	No No Yes Yes	 Edit privileges Export Edit privileges Export Edit privileges Export Edit privileges Export
	joomla38 pma root root starclass	localhost localhost linux localhost localhost	Yes No No No Yes	USAGE USAGE ALL PRIVILEGES ALL PRIVILEGES USAGE	No No Yes Yes	 Edit privileges Export
	joomla38 pma root root starclass starclass052018	localhost localhost linux localhost localhost	Yes No No No Yes Yes	USAGE USAGE ALL PRIVILEGES ALL PRIVILEGES USAGE	No No Yes Yes No	 Edit privileges Export

Database \rightarrow "Datenbank auswählen"

← 🖪 Server: 127.0.0.1					~					
🗊 Databases 📙 SQL 🌗 Status	User accounts	🛋 Export	🖬 Import	🌽 Settings	▼ More					
Your browser has phpMyAdmin configuration for this domain. Would you like to import it for current session? Yes / <u>No</u> / <u>Delete settings</u>										
Global Database Change password Login Information										
Edit privileges: User account 'starclass052018'@'localhost'										
Database-specific privileges										
Database Privileges Grant Table-spe None	cific privileges Actio	n								
	starclass starclass052018 starclass3 ctarclass2	3								
Add privileges on the following database(s)	starciass36 V			0						
					Go					

→ Go



Grant nicht notwendig

→ Go

```
GRANT ALL PRIVILEGES ON `starclass052018`.* TO
'starclass052018'@'localhost';
```

User Berechtigungen prüfen

Wenn nicht beim Anlege alle Berechtigungen vergeben wurden...

← 🛱 Server: 127.0.0.1 🔨									
🗊 Databases 📄 SQL 🚯 Status 💌 User accounts 🖨 Export 🔂 Import 🤌 Settings 🔻 More									
Your browser has phpMyAdmin configuration for this domain. Would you like to import it for current session? Yes / No / Delete settings									
Global Database Change password Login Information									
Edit privileges: User account 'starclass052018'@'localhost'									
Database-specific privileges									
DatabasePrivilegesGrantTable-specific privilegesActionstarclass052018ALL PRIVILEGESNoNoPrivilegesRevoke									

Kickstart vorbereitung

download Akeeba Kickstart Core (free of charge)

Kickstart files und backup File nach C:\xampp7\htdocs\starclass052018 kopiert

C:\xa	mpp7	/\htdocs\starclass052018			
^		Name	Änderungsdatum	Тур	Größe
		🐻 de-DE.kickstart.ini	18.05.2018 08:50	Konfigurationsein	9 KB
*		📓 jquery.min.js	18.05.2018 08:50	JavaSkriptdatei	93 KB
*		🌋 json2.min.js	18.05.2018 08:50	JavaSkriptdatei	4 KB
*		kickstart.php	18.05.2018 08:50	PHP-Datei	316 KB
*		site-www.starclass.at-20180518-05594	18.05.2018 08:04	JPA-Datei	112 159 KB

site-www.starclass.at-20180518-055941utc.jpa

Restore durchführen

http://localhost/starclass052018/kickstart.php

M Ak	eba Backup: Ma	inage Baclii 🗙 📋 Akeeba K	ickstart Core 5.4.2 X	localhost / 127	0.0.1 phpMy/	× +		-	E			
) → c	ά û	(i) localhost/starclas	s052010/kickstart.ph	P E	🛛	Q Searc	'n	¥	111	D		
-												
		Thin	gs you should	know about	Akeeba	Kickstart						
	1. Kickstart i	is not an installer. It is an ar	chive extraction too	l. The actual install	er was put ir	iside the archiv	e file at backup time.					
	2. Kickstart i FTP instea	is not the only way to extra ad.	ct the backup archiv	re. You can use Ake	aba eXtract \	Wizard and upl	oad the extracted files using	E.				
	3. Kickstart	is bound by your server's co	onfiguration. As such	i, it may not work a	t all,							
	4. You shoul backup ar	d download and upload yo chive and restoration failur	ur archive files using e.	g FTP in Binary tran	sfer mode. A	my other meth	od could lead to a corrupt					
	5. Post-resto and 500 e files, beca	pration site load errors are a prors can usually be worked use this could be dangeros	usually caused by .ht d around by editing is for your site.	taccess or php.ini d the aforementione	irectives. Yo d files. It is n	u should under iot our job to m	stand that blank pages, 404 less with your configuration					
	6. Kickstart overwrites files without a warning. If you are not sure that you are OK with that do not continue.											
	7. Trying to site will a	restore to the temporary U ppear to be not working. Ti	RL of a cPanel host (his is normal and it's	e.g. http://1.2.3.4/ just how your serv	nusername) er and CMS	will lead to res software work.	toration failure and your					
	8. You are si understar	apposed to read the docum iding how this software wo	entation before usin rics.	ng this software. M	ost Issues ca	n be avoided, c	or easily worked around, by					
	9. This text	does not imply that there is	a problem detected	d. It is standard text	displayed e	very time you l	aunch Kickstart.					
	Click have	or wrone ESE to close this s										
	Source Delle	or press cac to crose this t	nessage						_			
) -> G	' @	(i) localhost/intercleant	52018/kickstart.php		© ť	Q Search	*	: 10				
			A Al	Walana a C		4.0						
			• Акеера і	KICKSTART C	ore 5.4	4.Z						
		War	it some help to use th	his tool? Read this B	nit: <u>Quick Sta</u>	rt Guide						
		s at 12 12 12 12										
	Select	a backup archive										

C:/xampp7/htdocs/starclass052018/

site-www.starclass.at-20180518-055941utc.jpa

Archive directory:

Archive Password (for JPS files)

Archive file:

Reloat

Q.

-

		Do not close this window a	file the extracti	un la le progresa						
6 Extra	cting									
		🕈 Akeeba Kicl	kstart C	ore 5.4	.2					
) C @	 loca/host/star 	dass052018/kidestart.php	۵	🛡 🏠	Q, Search			Ŧ	10	0
This program is free	raffsore po ar siderfla	Copyright III. 2008–2008 Sections II. Borrys of a matter manifest it under the tensor of the sciences, or lat year design control. Internet Joughted	oprovinse / Alexandre I I GMU General Pub cartier() any later feature() must field b	factory: All hegel rep fits trianna ar proble antians y Anastadies hou ca	to reserved. Joint by Was Press (atinire faar	fathar, silitar a	eriter 3 i	d the	
Start										
Extrac	t files	Share advanced	Lophum: (for inite	em);						
Fine t	une									
		Test FTP connection	Conitget	it to work? Cl	ek mut					
Temporary dir	ectory:	C:/xampp7/htdocs/sta	rclass05201	B/		(0)	eck 6	leset		
(5)FTP passwo (5)FTP directo	ird: ny:									
Use FTP Passi	ve Mode me:	M								
Use FTP over	SSL (FTPS)									
(5)FTP port:	ime:	21								
	nore	La collect								
ignore most e	in our	77								

(€)⇒	CÔ	③ loca/host/stardass052016/lockstart.php	e 🛛 🏠	Q, Search	∓ II/	© ≡
		🕈 Akeeba Kicl	start Core 5.4.	2		
	0 Rest	oration and Clean Up				
	Run ti	he Installer				
	The arogram of	Copyright ID 2006-2018 Normal & Damp free software, you an extension is address sould's conter the same of the Damps reads, in terms insured, Dange reads, internet insured,	poulos / Alextua Bachup, Al Ingel regit DAU General Public Clemes in publich national any back werdun, waving matified by Januardachup, me	reserved and by the Pree Sutseen Poundation, with s	Conservation of all the	

→ C' û	Iocalhost/stardass052018/ststallation/index;	omp 🛛 🕬 🖬 🐨 🛱	Q. Search	¥ ₩ □
ANGIE – Akeeba Ne:	xt Generation Installer Engine v.6.0,1		4 Stat over Di Chech o	+ Hex
No idea what you are supp	cood to do? Don't paniel	Watch the luboral video		-
Pre-installation > Data	dase Restoration 🚺 🕨 Site Setup 🕨 Finished			
Pre-installation	check	Recommended	settings	
f any of these items is not so correct them. Failure to do so correctly.	apported (marked as No) then please take actions to a could lead to your Joomial installation not functioning	These settings are recomme Joomla. However, Joomlal w recommended configuration	inded for PHP in order to ensure full compa II still operate if your settings do not quite	dibility with match the
	Setting Curren	t Settin	g Recommende	d Curren
PIP Version >= 5.3.1	1000 CON	Safe Mode		(21)
Magic Quotes GPC Off	No.	Display Science	(11)	(214)
Register Globals Off	New	File Uploads	(D)()	0.00
710: Compressue Support	No.	Magic Quote a Buntime	(019)	1010
KML Support	10113	Dutent Suffering	E113	177
Delabane Support	Yes	Second Auto Start	00	OT:
Will Language in Default	None -	Battive ZIP support	(Dir	000
MB String Overland Off	Test			
IN Parser Support	No.			
JSON Support	Yes			
configuration.php writeable	200			
Backup Informa	tion	Site information	1	
This information was collecte configuration of the server an	d at the time of the backup. They represent the d alte which was backed up. It is presented here for you	This information represents t on which this installer is rure	the configuration of the server you are resto ning)	ring to (the ser
reterence and for easier debu	aging.	Joomlal version	387	
Setting	At Backup Time	PHP version	7.1.11	
fost namé	And the second sec			*****
Backup date	2018-MS 12 III.5844 UTC			13
Akeeba Backup version	8653			
PHP version	5.8.28 Wednik wary and Brindy (2)			
Root directory	grammer communication and and and and and and and and and an			

At backup Time
www.starilass.at
2010-05112 00518 01 0170
885
5.8.39 Werthin any ang Bundy -7
Bernet Street en et en en en en en et en en et
the README film! file, generated at backup time, bout your backup

Copyright 60006 - 2018 Akuelia Lot. All rights reserved. ANGE is Tree Software distributed under the GNU GPL version 3 or any later version published by the FSF

A Glattover Chickerk again

+ Next



Site Parameter	s		Server-specific	c configuration f	iles					
Site name Site e-mail address	Ste name Star Class Austria • Ste e-mail address webmaater@starcloss at •			Files which modify the way your server behaves when serving your site may cause site loading issues when restaring to a new host. Use the options below to reset them to Joomlat defaults.						
ite e-mail sender name	Star Class Austria	•			1992-19-19 2 5					
Uve site URL	http://localhost/starclass0520	0	Remove .user ini and /	or php.ini files from the main i	alle directories O					
	WATCHER Your web server	t is running of	Replace main htacces	s fõe with default O						
	violative, rising a the Live an arte an Westowy will make it in your alle's administration area b Journal Please leave this too.	te ORL when running a impossible to log in to because of a bag in c Mark.	Delete the .htaccess a	nd .htpasswd files in the admi	inistrator directory O					
Force SSL	None 🔛 O			D	l.					
Coolkie domain		0								
Cashie anth										
CODER M COMPT		0								
Tum on mail sending	⊖No ⊛Yes	0								
Tum on mail sending	O No Yes Override tmp and log paths	•	Superliner	tings						
Turn on mail sending	O No Yes Override tmp and log paths Override tmp and log paths ons Enclobe the FTP loyer	•	Super User set	t tings SuperAdmin						
Turn on mail sending	No Yes Override tmp and log paths Override tmp and log paths Torres Estable the FTP loyer	•	Super User set Super User E-mail	ttings SuperAdmin webaraster@starclass.at	9 0					
Tum on muil sending	O No Yes Override tmp and lag paths Override tmp and lag paths ions Enable the FTP layer	•	Super User set Super User E-mail Password	ttings SuperAdmin webmaster@starcfass.at	0 0 0					
Turn on mail sending	No Yes Override tmp and log paths	•	Super User set Super User E-mail Password Password (repeat)	ttings SuperAdmin welamaster@starcfass.at	0 0 0					
TP Layer Opt	Override tmp and lag paths Override tmp and lag	•	Super User set Super User E-mail Password (repeat)	ttings SuperAdmin webmaster@starcfass.at	0 0 0					
Turn on mail sending	No Yes Override tmp and log paths Override tmp and log paths ions Estable the FTP loyer e-tuning C.transpo7/biddecelustarclassbi	0	Super User set Super User E-mail Password (repeat)	ttings SuperAdmin webmaster@starclass.at	0					
TP Layer Opt	Oremide trop and lag paths Override trop and lag paths Override trop and lag paths Ions Evaluate the FTIP layer Criticange/Virtdocelustarclasse Criticange/Virtdocelustarclasse Criticange/Virtdocelustarclasse	0 0	Super User set Super User E-mail Password (repeat)	ttings SuperAdmin webmaster@starcfass.at	0 0 0 0					
Turn on mail sending TP Layer Opt Directories find Site root Temporary directory Log directory	No Yes Override tmp and log paths	0 0 0	Super User set Super User E-mail Password Password (repeat)	ttings SuperAdmin webmaister@starclass.it	0					
Turn on mail sending TP Layer Opti Directories fine Site root Temporary directory Log directory	No Yes Override trop and log paths Override trop and log paths Enable the FTP loyer C log angp7lbtdoc clusterclass0	e , , ,	Super User set Super User E-mail Password (repeat)	ttings SaperAdmin webmaster@starclass.at	0 0 0 0					
Turn on mail sending TP Layer Opt Directories find Site root Temporary directory Log directory	No Yes Override tmp and log paths	0 0 0	Super User Sel Super User E-mail Password (repeat)	ttings SuperAdmin webmuster@starcfass.at						
Turn on mail sending TP Layer Opti Directories fine Site root Temporary directory Log directory apyruph C2005 - 2010 A VIEE is Free Software di	No Yes Override tmp and lag paths Override t	e e e e ion 3 ar any later version p	Super User set Super User E-mail Password (repeat)	ttings SaperAdmin webmanter@starclass at 	e e e e					
Turn on mail sending TP Layer Opti Directories fine Site root Temporary directory Log directory Synght 62006 - 2010 A VICE is Free Software de	No Yes Override tmp and log paths ions Enable the FTP layer c. Usampp?/biddoc.elutarclass0; C. Usampp?/biddoc.elutarclass0; C. Usampp?/biddoc.elutarclass0; C. Usampp?/biddoc.elutarclass0; C. Usampp?/biddoc.elutarclass0; d. C. Usampp?/biddoc.elutarclass0; d. C. Usampp?/biddoc.elutarclass0; d. S. Sampp?/biddoc.elutarclass0; d. S. Sampp?/biddoc.elutarclass0; d. S. Sampp?/biddoc.elutarclass0; d. Sampp?/biddoc.elutarclass0; d. Sampp?/biddoc.elutarclass0; d. Sampp?/biddoc.elutarclass0; d. Sampp?/biddoc.elutarclass0;	 and a many false version particular particular	Super User Set Super User E-mail Password (repeat)	ttings SuperAdmin webaruster@starcfass.at	Previous					
Turn on mail sending TP Layer Optini Directories fine Site root Temporary directory Log directory Syngh: C2005 - 2010 A GE is Frie Software do	No Yes Override tmp and lag paths Coverride tmp and lag paths Estable the FTP layer Covernapy?Vitioce/starclass0 Coverna	e e e e o st/starclass052018	Super User Sel Super User E-mail Password (repeat) Password (repeat)	ttings SuperAdmin webmaister@starcfass.at	Presicus					
TP Layer Opti TP Layer Opti Directories fine Site root Temporary directory Log directory USE is free Software di Constant directory	No Ves No Ves Override tmp and lag paths Coverride tmp and lag paths Enable the FTP layer Coverrige7/bitdoc eletarclass0 Coverrige7/bitdoc eletarclass	• • • • • • • • • • • • • • • • • • •	Super User set Super User E-mail Password (tepset) Password (tepset)	ttings SuperAdmin weternæster@starcfæss.at 	Presicues (* Marcola Secondaria)					

Almost there!

Close this window to return to Kickstart. Click the Clean Up button to start using your restored site.

الللل	M Ak	ieeba	Backup: Manage B	= 🗙 🔁 Akeeba Kickstari Core 3.4.2 👔 📴 ANGE - Akeeba Nost Geore 🔨 Ma kocalhost / 127.0.0.1 phpM 🛛 🗙 🕂		1	ġ	×
¢	→ 0	3	ŵ	🛈 locathost/stardass057018/installation/index.pti) 80% 🛡 🏠 🔍 Search	+	II/		=
	NGIE	E	Akeeba Next	Generation Installer Engine v.6.0.1		+ Pr	evious	5
	No ida	a we	ut yaa wa seppo	eed In do? Don't particl Relative oppartmentator page				
	Pre-int	etalla	rtion > Databas	e Restoration > Site Setup > Finished				
	Almo	ost	there!					
3	lose thi	is wo	ndow to return to H	Sickstart. Click the Clean Up button to start using your restored site.				

Einfach "x" und fenster schließen

	Akee	ba Backup: Mana	ge Backi 🗙	🔛 Akeeba Kickst	tart Core 5.4.2	× A	localhost	/ 127.0.0.1	[phpMy/	×	+				5	
¢	→ C ⁴	ŵ	① loca	ilhost/starclass05	52018/kickstar	rt.php	Ø	(97%)	(9 û	Q, Search				Ŧ	in
					A Ake	aha K	leket	art C	oro l	E 4 3	1					
					T AKE	eba N	ICKSL	anco	ore .	5.4.2	9					
		6 Re	estoration	1 and Clean	Up											
		c	ean Up													
		Trapig	er is fras software	Cia 1 ann bhí ridhirtinns S	neight (Coostan and Camillar modify (Co	11 Nicholas K. G Julie The Ignat	of Hor DHO	t / Abbette B Qurturqi Palit Laty Silter I	activati Adilla 67 Elizarroa a artistan	igid rights) a pojstativaj	einstneit Dy Hus Fran Saffrei	es fonstation, othe	e signifi	aire	•`	
					Dange Louis	In: Marnel Ing	ind, to any	received to	, Alexandrichie	deal and the						
	Akests	a Backup: Manage	Baclin X 🧾	Akeeba Kickstart Co		A lucatho	a / 127.0.0.	1 pitpMy/	×	1 1			-	_ C	1	ĸ.
÷	⇒ ¢	ŵ	localho	st/stardass052018	5/kickstart.php	E	90%	6	9 12	Q, Sea	di		Ŧ	W/	0	Ξ.
				4	Akeeba	a Kicks	tart (Core !	5.4.2							
		G Res	toration a	nd Clean Up												
		Via	yaur site's fru	Itend	< Visit you	ersttels backe	md :	1250								
		somethin	E not working	atter the restoratio	IT CHEK HERE THE	In T. Derwagen	our,) America	Information	pa) 1 (2 au 1 au	-						
		(a) and one	fine officers on	car reduirilioir it artifu	e printing it arrider the Sateries Barige creation between	Converse, of this life is, for last adopt with has been with home	to General Pur Mill alle Mare Re-monitori	nin Dromo e setsion ny Massimilia	annes.	a tin (ten 2	illeers frankritte	affine records if of the				

Fertig 🙂

Test Frontend:

http://localhost/starclass052018/index.php



Backend:

http://localhost/starclass052018/administrator

SuperAdmin mit PW vom Restore oder anderen vorhandenen Super Admin User.

Chevel M Los		Autom 0 Block (* 15	nene 🔀 trans 🛞 in	tool & n						0 10	anes.
e Vien		telet.	A Descriptions	Chur					News acceptes		10.04
Diel Groups Verweig Access Levels	100	-Select thate	- Connect Active State	Sec. Marrison	15	•	- Select Cast Hold	Colo + Sead Ropid	Ination Caller + 2		
heiden Leide Denware		liane -		Darcenter	Example	Attraction	liter Grage	Inné	Last West Data	Reportation them	10
Jaer Notes Jaer Note Cologortes		Contract Parameters		Apractit		1	Begar livera	harmantaphane@ant.at	2010-85-10 95:58:28	2017-11-19 20:53:57	897
		C Sametiner (Manatana)		Supervision	*	1	Siger Liners	astrute@status.a	2019-25-19 97:99,21	0017-11-18 19:24:08	117

WARNUNG!!!

Sie nutzen einen Server mit PHP5.3, Fehlerausgabe im Browser und strenge Standardwarnungen aktiviert. Diese combination **erlaubt nicht den korrekten Betrieb von Joomla! und seinen Erweiterungen**. Wahrscheinlich nutzen Sie WAMPServer, XAMPP oder eine ähnliche Umgebung, die nach Januar 2011 veröffentlicht wurde. Sie haben die folgenden Möglichkeiten:

- 1. Bearbeiten Sie Ihre php.ini-Datei und ändern die folgenden Zeilen:
- 2. error_reporting=E_ERROR
 display_errors=0

und starten Ihren Server neu. Bitte beachten Sie, dass einige Joomla!-Erweiterungen dennoch nicht funktionieren werden.

3. Installieren Sie Zend Server CE mit PHP5.2, XAMPP 1.6.4 oder eine andere Server-Umgebung PHP 5.2 (dringend empfohlen)

Sollten Sie diese Warnung ignorieren, sind Sie auf sich allein gestellt. Fragen Sie nicht nach Unterstützung. Alle Wiederherstellungsprobleme, die nach der Wiederherstellung auftreten, sind nicht von AkeebaBackup verschuldet. Sie wurden ausdrücklich gewarnt.